Safety Attribute Inspection (SAI) Data Collection Tool 3.1.10 Category II & III Operations (OP) Revision#:3 Revision Date:09/15/2009

ELEMENT SUMMARY INFORMATION

Scope of Element:

Purpose (operator's responsibility): To safely land the aircraft at the specified Category II & III Operations as authorized in the operator's operations specifications and the Federal Aviation Regulations.

Objective (FAA oversight responsibility): To determine if the operator's Category II & III Operations process:

- Meets all applicable requirements of Title 14 of the Code of the Federal Regulations (14 CFR) and FAA policies,
- Incorporates the safety attributes, and
- Identifies any shortfalls in the operator's Category II & III Operations process.

Specific Instructions:

Intentionally left blank

SUPPLEMENTAL INFORMATION

Regulatory Requirements:

C.059, Operations Specifications

C.060, Operations Specifications

C.359, Operations Specifications

91.189, Category II and III operations: General operating rules.

119.43, Certificate holder's duty to maintain operations specifications.

121.135, Manual contents

121.373, Continuing analysis and surveillance.

121.579, Minimum altitudes for use of auto-pilot.

Related CFRs & FAA Policy/Guidance:

Related CFRs:

Intentionally left blank

FAA Policy/Guidance:

Advisory Circular 120-28D, Criteria for Approval of Category III Weather Minima for Takeoff, Landing and Rollout

Advisory Circular 120-29A, Criteria for Approval of Category I and Category II Weather Minima for Approach

SAI SECTION 1 - PROCEDURES ATTRIBUTE Objective: The questions in this section of the SAI will help verify that the operator's documented procedures identify who, what, when, where, and how those procedures are accomplished. These procedures must allow all personnel to perform their duties and responsibilities with a high degree of safety. 14 CFR part 121.135(a)(1) Tasks The inspector shall accomplish the following tasks: Review the information in the Supplemental Information section of this SAI. Review the duties and responsibilities for management and other personnel who accomplish the 2 processes associated with this element. Review the documentation of the processes associated with this element. **Questions** 1.1 Do procedures for landing minimums allow CAT II or III operations only when Yes ☐ No, Explain authorized in the operations specifications? Updated: Rev # 3 on 09/15/2009 SRRs: 91.189(g) Kind Of Question: Flag, Supplemental, Domestic Related Design JTIs: 1. Check that the Certificate Holder's manual system contains instructions and information to ensure no person may operate a civil aircraft in a Category II or III operation conducted by the holder of a certificate issued under part 121 of this chapter unless the operation is conducted in accordance with that Certificate Holder's operations specifications. (JTI ID: 1) Sources: 121.135(a)(1); 91.189(g) 1.2 Do procedures specify that an autopilot will not be used at: ☐ Yes ☐ No, Explain Less than twice the altitude loss stated in the AFM, or Less than 50 feet below the MDA or DH, whichever is higher? Note(s): Exceptions to this requirement are found in SRRs 121.579(b)(1) and 121.579(b)(2). Updated: Rev # 3 on 09/15/2009 SRRs: 121.579(b) Kind Of Question: Flag, Supplemental, Domestic Yes 1.3 When than less VFR conditions exist, do procedures specify that the autopilot ☐ No, Explain will not be used with an ILS coupled approach at an altitude less than 50 feet

higher than the maximum altitude loss for the airplane?

	Note(s): This exception to SRR 121.579(b) is for a malfunction of an autopilot with approach coupler under approach conditions. Updated: Rev # 3 on 09/15/2009 SRRs: 121.579(b)(1) Kind Of Question: Flag, Supplemental, Domestic	
1.4	When VFR conditions exist, do procedures specify that the autopilot will not be used with an ILS coupled approach at an altitude less than the maximum altitude loss stated in the AFM or 50 feet, whichever is higher? Note(s):	Yes No, Explain
	This exception to 121.579(b) is for a malfunction of an autopilot with approach coupler under approach conditions.	
	Updated: Rev # 3 on 09/15/2009 SRRs: 121.579(b)(2) Kind Of Question: Flag, Supplemental, Domestic	
1.5	Do procedures address the intent of the guidance contained in AC 120-28D, Criteria for Approval of Category III Weather Minima for Takeoff, Landing and Rollout?	Yes No, Explain Not Applicable
	Updated: Rev # 3 on 09/15/2009 Kind Of Question: Flag, Supplemental, Domestic	
	Related Design JTIs:	
	 Check that the Certificate Holder's manual system incorporates the reference material from the Advisory Circular as applicable for that particular type of operation. (JTI ID: 14) 	
	Sources: 121.135(a)(1); AC 120-28D	
1.6	Do procedures address the intent of the guidance contained in AC 120-29A, Criteria for Approval of Category I and Category II Weather Minima for Approach?	Yes No, Explain Not Applicable
	Updated: Rev # 3 on 09/15/2009 Kind Of Question: Flag, Supplemental, Domestic	
	Related Design JTIs:	
	 Check that the Certificate Holder's manual system incorporates the reference material from the Advisory Circular as applicable for that particular type of operation. (JTI ID: 15) 	
	Sources: 121.135(a)(1); AC 120-29A	
1.7	Does the manual include a requirement to comply with the Operations	Yes
	Specifications related to this element including clearly identified excerpts, references, mandatory compliance requirements, or other information that will keep employees informed of the impact on their duties and responsibilities?	☐ No, Explain
	Updated: Rev # 3 on 09/15/2009	
	SRRs: C.059; C.060; C.359e; 119.43(b); 119.43(c); 121.135(a)(4) Kind Of Question: Flag, Supplemental, Domestic	
1.8	Does the manual contain policies and procedures that include the duties and	Yes

	responsibilities for personnel involved with this element?	☐ No, Explain
	Note(s): This includes personnel, in addition to those required by 14 CFR part 119, who have authority and responsibility for processes covered by this element.	
	Updated: Rev # 3 on 09/15/2009 SRRs: 121.135(b)(2)	
	Kind Of Question: Flag, Supplemental, Domestic	
1.9	Does the manual refer to the appropriate sections of 14 CFR, and are the procedures consistent with the appropriate 14 CFR references or Operating Certificate concerning this element?	Yes No, Explain
	Note(s):	
	Procedures for Flag and Supplemental operations must be consistent with applicable foreign regulations as well.	
	Updated: Rev # 3 on 09/15/2009	
	SRRs: 121.135(a)(4); 121.135(b)(3) Kind Of Question: Flag, Supplemental, Domestic	
1.10	Does the manual contain general policies that require compliance with the SRRs?	Yes No, Explain
	Updated: Rev # 3 on 09/15/2009 SRRs: 121.135(b)(1) Kind Of Question: Flag, Supplemental, Domestic	
1.10	SRRs? Updated: Rev # 3 on 09/15/2009 SRRs: 121.135(b)(1)	

	SAI SECTION 1 - PROCEDURES ATTRIBUTE
	Drop-Down Menu
1.	No policy, procedures, instructions, or information specified.
2.	Procedures or instructions and information do not identify who, what, when, where, how.
3.	Policy, procedures, or instructions and information do not comply with CFR.
4.	Policy, procedures, or instructions and information do not comply with FAA policy and guidance.
5.	Policy, procedures, or instructions and information do not comply with other documentation (e.g.,
	manufacturer's data, Jeppesen Charts, etc.).
6.	Policy, procedures, or instructions and information unclear or incomplete.
7.	Documentation quality (e.g., unreadable or illegible).
8.	Policy, procedures, or instructions and information inconsistent across certificate holder manuals
	(FOM - Flight Operations Manual to GMM - General Maintenance Manual, etc.).
9.	Policy, procedures, or instructions and information inconsistent across media (e.g., paper,
	microfiche, electronic).
10.	Resource requirements incomplete (personnel, facilities, equipment, technical data).
11.	Other.

	SAI SECTION 2 - CONTROLS ATTRIBUTE		
Obje	ective:		
desi	The questions in this section of the SAI will help determine if controls (i.e. checks and restraints) are designed into the processes associated with this element to ensure policies and procedures are followed to achieve desired results.		
Tas	ks		
	The inspector shall accomplish the following tasks:		
1	Review the policies, procedures, instructions, and information to understand the cowith this element.	ontrols associated	
Que	Questions		
2.1	Are controls in place to ensure that the flightcrew conducts a thorough approach review before conducting the approach?	Yes No, Explain	
	Updated: Rev # 3 on 09/15/2009 Kind Of Question: Flag, Supplemental, Domestic		
2.2	Are controls in place to ensure that high minimums captains who are dispatched into potential lower landing minimums approach weather are given the proper restrictions?	Yes No, Explain	
	Updated: Rev # 3 on 09/15/2009 Kind Of Question: Flag, Supplemental, Domestic		
2.3	Are controls in place to ensure that the flightcrew follows company procedures for lower landing approaches based upon available equipment?	Yes No, Explain	
	Updated: Rev # 3 on 09/15/2009 Kind Of Question: Flag, Supplemental, Domestic		

	SAI SECTION 2 - CONTROLS ATTRIBUTE		
	Drop-Down Menu		
1.	No controls specified.		
2.	Documentation for the controls do not identify who, what, when, where, how.		
3.	Controls incomplete.		
4.	Controls could be circumvented.		
5.	Controls could be unenforceable.		
6.	Resource requirements incomplete (personnel, facilities, equipment, technical data).		
7.	Other.		

SAI SECTION 3 - PROCESS MEASUREMENT ATTRIBUTE

Objective:

Process measurements ensure the operator uses an internal evaluation function to detect, identify, and eliminate or control hazards and the associated risk. For airworthiness elements this is a required function of operator's Continuing Analysis and Surveillance System (CASS), required by 14 CFR part 121.373. The director of safety and the quality assurance department often work together to accomplish this function for the operator. Negative findings could require amendments to the safety/internal evaluation program or CASS audit forms or checklists.

function for the operator. Negative findings could require amendments to the safety/internal evaluation program or CASS audit forms or checklists.		
Tasl	ks	
	The inspector shall accomplish the following tasks:	
1	Review the control questions in Section 2 of this SAI.	
2	Review the operator's policies, procedures, instructions, and information to gain an of the process measurements accomplished for this element.	understanding
Que	stions	
3.1	Are there process measurements that evaluate whether the operator's policies, procedures, and controls are achieving the desired results?	Yes No, Explain
	Note(s): Inspectors should refer to the controls in section 2 of this SAI for possible process measurements for this element.	
	Persons engaged in this process should have a method for identifying undesired results.	
	Updated: Rev # 3 on 09/15/2009 SRRs: 121.373	
	Kind Of Question: Flag, Supplemental, Domestic	
3.2	Do the operator's process measurements assess the performance of the processes associated with this element?	Yes No, Explain
	Note(s):	
	Verify audits exist to measure this elements performance.	
	Verify audits are scheduled for this element.	
	Verify audits ensure everyone, including all outsource providers; comply with the operator's program, manual and all applicable regulations and statutes.	
	Updated: Rev # 3 on 09/15/2009	
	SRRs: 121.373 Kind Of Question: Flag, Supplemental, Domestic	
3.3	Does the operator's program require the documentation of process measurement results?	☐ Yes ☐ No, Explain
	Updated: Rev # 3 on 09/15/2009 Kind Of Question: Flag, Supplemental, Domestic	

3.4	Does the operator's program describe how the process measurement results are used to improve the ability to achieve the desired results?	☐ Yes ☐ No, Explain
	Updated: Rev # 3 on 09/15/2009 Kind Of Question: Flag, Supplemental, Domestic	
3.5	Does the organization that conducts the process measurements have direct access to the person with responsibility for this element?	Yes No, Explain
	Updated: Rev # 3 on 09/15/2009 Kind Of Question: Flag, Supplemental, Domestic	

	SAI SECTION 3 - PROCESS MEASUREMENT ATTRIBUTE
	Drop-Down Menu
1.	No process measurements specified.
2.	Documentation for the process measurements does not identify (who, what, when, where, how).
3.	Inability to identify negative findings.
4.	No provisions for implementing corrective actions.
5.	Ineffective follow-up to determine effectiveness of corrective actions.
6.	Resources requirements (personnel, facilities, equipment, technical data).
7.	Other.

	SAI SECTION 4 - INTERFACES ATTRIBUTE		
_	ective:		
Data collected in this section helps determine if the operator manages the interfaces (i.e. interactions) associated with this element. Interfaces occur in a procedure where the responsibility for accomplishing work is transferred from one person, work group, or organization to another. Procedures must be detailed enough to ensure the smooth transfer of work and information.			
Tasi	ks		
	The inspector shall accomplish the following task:		
1	Review interfaces associated with the processes for this element.		
Questions			
4.1	Where interfaces exist in this element, are the procedures written in enough detail to preclude a breakdown or discontinuity in the activity?	Yes No, Explain	
	Updated: Rev # 3 on 09/15/2009 Kind Of Question: Flag, Supplemental, Domestic		
	Mind Of Question. Flag, Supplemental, Domestic		
	SAI SECTION 4 - INTERFACES ATTRIBUTE		
Drop-Down Menu			
1.	No interfaces specified.		
2.	The following interfaces not identified within the certificate holder's manual system:		
3.	Interfaces listed are inaccurate.		
4.	Specific location of interfaces not identified within the manual system.		

4. 5.

Other

SAI SECTION 5 - MANAGEMENT RESPONSIBILITY & AUTHORITY ATTRIBUTE

Objective:

Data from questions in this section will help the determine if there is an identifiable, qualified (when required by CFR), and knowledgeable person who is:

- Responsible for the process,
- Answerable for the quality of the process, and
- Has the authority to establish and modify the process.

Tasl	ks
	The inspector shall accomplish the following tasks:
1	Identify the person(s) who has overall responsibility for this element.
2	Identify the person(s) who has the authority to revise the procedures associated with this element.
3	Review the duties and responsibilities of the above person(s).
4	Review the appropriate organizational chart.

Que	stions	
5.1	Is an individual(s) identified who is responsible for the quality of the procedures associated with this element?	Yes No, Explain
	Updated: Rev # 3 on 09/15/2009 Kind Of Question: Flag, Supplemental, Domestic	
5.2	Is an individual(s) identified who has the authority to establish and modify the policies, procedures, instructions, and information associated with this element?	Yes No, Explain
	Updated: Rev # 3 on 09/15/2009	
	Kind Of Question: Flag, Supplemental, Domestic	
5.3	Are duties and responsibilities documented for those who manage the procedures associated with this element?	Yes No, Explain
	Updated: Rev # 3 on 09/15/2009	
	SRRs: 121.135(b)(2)	
	Kind Of Question: Flag, Supplemental, Domestic	
5.4	Does the operator document the procedures for delegation of authority for this element?	Yes No, Explain
	Updated: Rev # 3 on 09/15/2009 SRRs: 121.135(a)(1) Kind Of Question: Flag, Supplemental, Domestic	

	SAI SECTION 5 - MANAGEMENT RESPONSIBILITY & AUTHORITY ATTRIBUTE	
	Drop-Down Menu	
1	Not documented	

Documentation unclear.
 Documentation incomplete.
 Other.